## Linear Algebra Final Exam Practice Problems Math 235 Fall 2009

1: Let V, W be vector spaces. Define the following terms:

1a: What is a subspace of V?

1b: Let  $F: V \to W$  be a function. What does it mean to say that F is linear?

1c: Let  $T = \{v_1, v_2, \dots\}$  be a subset of V. What is a linear combination of elements of T? What is the span of T? What does it mean to say that T is linearly independent? What does it mean to say that T spans V? What does it mean to say that T is a basis of V?

1d: What is the dimension of V?

1e: Let  $F: V \to W$  be linear. Define ker(F). Define im(F). What is the rank of F? What is the nullity of F?

1f: Let  $F: V \to V$  be linear. What is an eigenvalue of F? What is an eigenvector of F?

1g: What does it means to say that two  $n \times n$  matrices are similar?

1h: What does it mean to say that two vector spaces are isomorphic?

1i: Let A be an  $n \times n$  matrix. What is an eigenbasis for the matrix A?

1k: Let B be a basis of a vector space V. What does one mean by the coordinates of a vector  $v \in V$  with respect to B?

2a: Let  $F: V \to W$  be linear. Show that ker(F) is a subspace of V. Show that im(F) is subspace of W.

2b: State the rank+nullity theorem.

3: Consider the system of equations

$$x - 2y + 3z - w = 2$$
  
 $2x + y - z + 3w = 1$   
 $5x + z + 5w = 4$ .

3a: Find all, if any, solutions to this system.

3b: Write the system as a matrix equation.

4a: Which vectors 
$$\begin{pmatrix} a \\ b \\ c \end{pmatrix}$$
 can be written as a linear combination of the vectors  $\begin{pmatrix} 1 \\ -2 \\ 3 \end{pmatrix}$ ,  $\begin{pmatrix} 0 \\ 1 \\ -2 \end{pmatrix}$ ,  $\begin{pmatrix} 2 \\ -5 \\ 8 \end{pmatrix}$ .

4b: Which vectors  $\begin{pmatrix} a \\ b \\ c \end{pmatrix}$  are in the image of the matrix

$$\begin{pmatrix} 1 & 0 & 2 \\ -2 & 1 & -5 \\ 3 & -2 & 8 \end{pmatrix}.$$

5: Let A denote the matrix representing rotation by angle  $\pi/6$  about the line through the origin and the point  $\begin{pmatrix} 1 \\ -1 \\ 1 \end{pmatrix}$ . Let B be the matrix representing reflection across the plane 3x - y + z = 0. How do you find the matrix representing the composition, first, of the reflection and then, second, the rotation from the matrices A and B? Note that we do not ask you to find the matrices A and B or the matrix representing the composition.

6: Let  $A = \{ \begin{pmatrix} 1 \\ 2 \end{pmatrix}, \begin{pmatrix} 1 \\ 3 \end{pmatrix} \}$  be a basis of  $\mathbb{R}^2$ . Let

$$M = \begin{pmatrix} 1 & -2 \\ 3 & 0 \end{pmatrix}$$

be the matrix representing a linear transformation from  $\mathbb{R}^2$  to  $\mathbb{R}^2$  with respect to the basis  $E = \{ \begin{pmatrix} 1 \\ 0 \end{pmatrix}, \begin{pmatrix} 0 \\ 1 \end{pmatrix} \}$ . What is the representation this linear transformation with respect to the basis A?

7: True or False. (Explain!)

7a: The set of all vectors of the form  $\begin{pmatrix} a \\ b \\ 0 \\ c \end{pmatrix}$  where a, b are real numbers forms a subspace.

7b: Let V be the space of all functions from  $\mathbb{R}$  to  $\mathbb{R}$  that have infinitely many derivatives. The function

$$\begin{aligned} F: V &\to V \\ F: f &\mapsto 3f' - 2f'' \end{aligned}$$

is linear.

7c: If the determinant of a  $4 \times 4$  matrix is 4, then the rank of the matrix must be 4.

7d: If the standard vectors  $\{e_1, e_2, \dots e_n\}$  are eigenvectors of an  $n \times n$  matrix, then the matrix is diagonal.

7e: If 1 is the only eigenvalue of an  $n \times n$  matrix A, then A must be  $I_n$ .

7f: If two  $3 \times 3$  matrices both have the eigenvalues 3, 4, 5, then A must be similar to B.

8a: Let F be counterclockwise rotation of the plane by angle 45 degrees followed by a scaling of  $\frac{3}{2}$ . What are all the eigenvalues of F.

8b: What are all the eigenvalues and eigenvectors of orthogonal projection onto a line L in  $\mathbb{R}^3$ ?

9: Let A be a  $2 \times 2$  matrix with eigenvalues 1.3, .6. and corresponding eigenvectors  $\begin{pmatrix} 1 \\ 2 \end{pmatrix}, \begin{pmatrix} 1 \\ 3 \end{pmatrix}$ . Let  $v = \begin{pmatrix} 15 \\ 15 \end{pmatrix}$ . Find  $A^n(v)$  for n = 61. Your answer will have expressions of the form  $(.6)^p$ ,  $(1.3)^p$ . Do not simplify these.

10a: Find the eigenvalues and eigenvectors for the matrix

$$A = \begin{pmatrix} 4 & 2 \\ 2 & 7 \end{pmatrix}.$$

Find a matrix B so that

$$BAB^{-1} = M$$

is diagonal. What is the matrix M.

10b: Find the eigenvalues and eigenvectors for the matrix

$$\begin{pmatrix} 8 & 9 \\ -4 & -4 \end{pmatrix}.$$

Is this matrix diagonalizable. If it is what is the diagonal matrix? If not diagonalisable, why not?

10c: Find the eigenvlaues and eigenvectors for the matrix

$$C = \begin{pmatrix} 0 & 2 \\ -5 & 2 \end{pmatrix}.$$

Give a matrix of the form  $\begin{pmatrix} a & -b \\ b & a \end{pmatrix}$  that is similar to C.

11: Find the eigenvalues of the matrix A, given below. Find bases for the eigenspaces of A. Can you find an invertible matrix, S, such that  $S^{-1}AS = D$ , where D is a diagonal matrix? If no, why not? If yes, find the matrices S and D.

$$A = \begin{pmatrix} 1 & 2 & 0 & 0 \\ 2 & 1 & 0 & 0 \\ 0 & 0 & 2 & 3 \\ 0 & 0 & 3 & 2 \end{pmatrix}.$$

Hint: When computing the characteristic polynomial of A, watch out for common factors: you want it factored at the end of the day.

12: Find the eigenvalues of the matrix A, given below. Find bases for the eigenspaces of A. Can you find an invertible matrix, S, such that  $S^{-1}AS = D$ , where D is a diagonal matrix? If no, why not? If yes, find the matrices S and D.

$$A = \left(\begin{array}{rrr} -8 & 5 & 4 \\ -9 & 5 & 5 \\ 0 & 1 & 0 \end{array}\right).$$

Hint: One way to solve a cubic equation is to find (guess) one root, and then perform long division, which would leave you with a quadratic polynomial. If the characteristic polynomial has a free coefficient which is an integer, as a first guess you may want to check the numbers which divide it. For example, if you have  $\lambda^3 - 2\lambda^2 - \lambda + 2$ , you may want to try  $\pm 1$  and  $\pm 2$ .

13: Find the eigenvalues of the matrix A, given below. Find bases for the eigenspaces of A. Can you find an invertible matrix, S, such that  $S^{-1}AS = D$ , where D is a diagonal matrix? If no, why not? If yes, find the matrices S and D.

$$A = \left(\begin{array}{ccc} 3 & 2 & -2 \\ 2 & 3 & -2 \\ 6 & 6 & -5 \end{array}\right).$$

14: Find the determinant of the matrix

$$\begin{pmatrix} -1 & 2 & 0 \\ 2 & -2 & 5 \\ 4 & -1 & 3 \end{pmatrix}$$

.